Attorney Docket No. STRATA-06948

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Allen Comer et al.

Serial No.:

10/087,388

Group No.:

1634

Filed:

03/01/02

Examiner:

Switzer

Entitled:

Skin Substitutes For Irritancy Testing

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT TRANSMITTAL

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

CERTIFICATE OF MAILING UNDER 37 C.F.R. § 1.8(a)(1)(i)(A)

I hereby certify that this correspondence (along with any referred to as being attached or enclosed) is, on the date shown below, being deposited with the U.S. Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Dated: October 15, 2003

Sir or Madam:

Enclosed please find an Information Disclosure Statement and Form PTO-1449, including copies of the references contained thereon, for filing in the U.S. Patent and Trademark Office.

Applicant's believe no fee is required. If the Commissioner deems otherwise, the Commissioner is hereby authorized to charge any additional fee or credit overpayment to our Deposit Account No. 08-1290. An originally executed duplicate of this transmittal is enclosed for this purpose.

Dated: October 15, 2003

itchell Jones

Registration No. 44,174

MEDLEN & CARROLL, LLP 101 Howard Street, Suite 350 San Francisco, California 94105

617/252-3353



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Allen Comer et al.

Serial No.:

10/087,388

Group No.: 1634

Filed:

03/01/02

Examiner:

Switzer

Entitled:

Skin Substitutes For Irritancy Testing

SUPPLEMENTAL INFORMATION **DISCLOSURE STATEMENT**

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

CERTIFICATE OF MAILING UNDER 37 CFR § 1.8(a)

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to the: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on October 15, 2003.

Sir or Madam:

The citations listed below, copies attached, may be material to the examination of the above-identified application, and are therefore submitted in compliance with the duty of disclosure defined in 37 C.F.R. §§ 1.56 and 1.97. The Examiner is requested to make these citations of official record in this application.

Applicants have become aware of the following printed publications which may be material to the examination of this application:

Berger et al., Secreted placental alkaline phosphatase: a powerful new quantitative indicator of gene expression in eukaryotic cells, Gene 66:1-10 (1998)

- Jaspers et al., Arsenite Exposure of Cultured Airway Epithelial Cells Activates
 κB-dependent Interleukin-8 Gene Expression in the Absence of Nuclear Factor
 κB Nuclear Translocation, J. Biol. Chem. 274:31025-31033 (1999)
- Muller *et al.*, Enhanced expression of IL-8 in normal human keratinocytes and human keratinocyte cell line HaCaT *in vitro* after stimulation with contact sensitizers, tolerogens and irritants, Exp. Dermatol. 3:298-303 (1994)
- Newby *et al.*, Cytokine Release and Cytotoxicity in Human Keratinocytes and Fibroblasts Induced by Phenols and Sodium Dodecyl Sulfate, Soc. of Investigative Dermatology, 115:292-298 (2000)
- Fisher *et al.*, All-*Trans* Retinoic Acid Induces Cellular Retinol-Binding Protein in Human Skin *In Vivo*, Soc. of Investigative Dermatology, 105:80-86 (1995)
- Wilmer *et al.*, Cytokine Induction in Human Epidermal Keratinocytes Exposed to Contact Irritants and Its Relation to Chemical-Induced Inflammation in Mouse Skin, Soc. of Investigative Dermatology, 102:915-922 (1994)
- Roguet, Cell Biology and Toxicology, 15:64-75 (1999)
- van Ruissen *et al.*, Differential Effects of Detergents on Keratinocyte Gene Expression, Soc. of Investigative Dermatology, 110:358-363 (1998)
- Terunuma *et al.*, Cytokine mRNA profiles in cultured human skin component cells exposed to various chemicals: a simulation model of epicutaneous stimuli induced by skin barrier perturbation in comparison with that due to exposure to haptens or irritant, J. of Dermatological Science, 26:85-93 (2001)
- Medina et al., Use of Human Skin Equivalent Apligraf for in Vitro Assessment of Cumulative Skin Irritation Potential of Topical Products, Toxicology and Applied Pharmacology, 164:38-45 (200)
- Muller-Decker et al., Keratinocyte-Derived Proinflammatory key Mediators and Cell Viability as in Vitro Parameters of Irritancy: A Possible Alternative to the Draize Skin Irritation Test, Toxicology and Applied Pharmacology, 127:99-109 (1994)
- Abe et al., Interleukin-8 Gene Repression by Clarithromycin Is Mediated By
 The activator Protein-1 Binding Site in Human Bronchial Epithelial Cells, Am.
 J. Respir. Cell Mol. Biol., 22:51-60 (2000)

This Information Disclosure Statement under 37 C.F.R. §§ 1.56 and 1.97 is not to be construed as a representation that a search has been made, that additional information material to the examination of this application does not exist, or that any one or more of these citations constitutes prior art.

Dated: October 15, 2003

Mitchell Jones

Registration No. 44,174

MEDLEN & CARROLL, LLP 101 Howard Street, Suite 305 San Francisco, California 94105 608/218-6900 FORM PTO-1449 (Modified)

OCT 17 2003 INFORMATIO DISCLOSURE STATEMENT BY APPLICANT

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: STRATA-06948

Serial No.: 10/087,388

Applicant: Allen Comer et al.

(37 CFR § 1.98(b))		Saparati Sheets If Necessary)	Applicant. After Comer et al.		
			Filing Date: 03/01/02	Group Art Unit:	
		OTHER DOCUMENTS (Including Author, Title, D	Date, Relevant Pages, Place of Publication)		
	1	Berger et al., Secreted placental alkaline phosphatase: a powerful new quantitative indicator of gene expression in eukaryotic cells, Gene 66:1-10 (1998)			
	2	Jaspers et al., Arsenite Exposure of Cultured Airway Epithelial Cells Activates κB-dependent Interleukin-8 Gene Expression in the Absence of Nuclear Factor κB Nuclear Translocation, J. Biol. Chem. 274:31025-31033 (1999)			
	3	Muller et al., Enhanced expression of IL-8 in normal human with contact sensitizers, tolerogens and irritants, Exp. Dermato		line HaCaT in vitro after stimulation	
•	Newby et al., Cytokine Release and Cytotoxicity in Human Keratinocytes and Fibroblasts Induced by Phenols and Sod Soc. of Investigative Dermatology, 115:292-298 (2000)			nenols and Sodium Dodecyl Sulfate	
	Fisher et al., All-Trans Retinoic Acid Induces Cellular Retinol-Binding Protein in Human Skin In Vivo, Soc. of Investigative Derr 105:80-86 (1995)				
	6	Wilmer et al., Cytokine Induction in Human Epidermal Keratinocytes Exposed to Contact Irritants and Its Relation to Chemical-Induced Inflammation in Mouse Skin, Soc. of Investigative Dermatology, 102:915-922 (1994)			
	7	Roguet, Cell Biology and Toxicology, 15:64-75 (1999)			
	8	van Ruissen et al., Differential Effects of Detergents on Keratinocyte Gene Expression, Soc. of Investigative Dermatology, 110:358-363 (1998)			
	9	Terunuma et al., Cytokine mRNA profiles in cultured human skin component cells exposed to various chemicals: a simulation model of epicutaneous stimuli induced by skin barrier perturbation in comparison with that due to exposure to haptens or irritant, J. of Dermatologic Science, 26:85-93 (2001)			
	10	Medina et al., Use of Human Skin Equivalent Apligraf for in Vitro Assessment of Cumulative Skin Irritation Potential of Topical Products, Toxicology and Applied Pharmacology, 164:38-45 (200)			
	11	Muller-Decker et al., Keratinocyte-Derived Proinflammatory k Possible Alternative to the Draize Skin Irritation Test, Toxicol			
	12	Abe et al., Interleukin-8 Gene Repression by Clarithromycin Is Mediated By The activator Protein-1 Binding Site in Human Bronchial Epithelial Cells, Am. J. Respir. Cell Mol. Biol., 22:51-60 (2000)			
xaminer:			Date Considered:		